

S10	2	("6678701").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 17:08
S16	2363	((merg\$3 or sort\$3) with partition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 17:36
S17	104	S16 and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 17:36
S18	15	S17 and (file with partition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 17:37
S19	14	S18 and (@ad<"20011207")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 17:51
S20	0	S19 and (file with location) and (location with row)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 17:52
S21	6	S19 and (location with row)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 17:55
S22	7	S19 and (locat\$3 with row)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 17:56

S23	9	S19 and (index with row)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 17:57
S24	7	S23 and (index with file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 10:55
S25	3749	(row with partition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 10:41
S26	1237	(merg\$3 with partition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 10:41
S27	62	S25 and S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 10:41
S28	104	S25 and ((merg\$4 or sort\$4) with partition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 10:42
S29	14	S28 and (file with partition) and (@ad<"20011207")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 11:04
S30	5	S29 and hash	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 10:42

S31	2	("20020095397").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 10:55
S32	0	"20020095397".pn. and (file adj partition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 10:56
S33	0	"20020095397".pn. and (file near partition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 10:56
S34	1	"20020095397".pn. and (file with partition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 10:56
S35	1	"20020095397".pn. and (file with partition) and (file with locat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 11:04
S36	5	S28 and (row with hash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 11:06
S37	2	S36 and (@ad<"20011207")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 11:06
S38	19	S28 and (row with block)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 11:09

S39	11	S38 and (@ad<"20011207")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 11:10
S40	3	S38 and (@ad<"20011207") and hash	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 11:07
S41	8	S38 and (@ad<"20011207") and sort	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 11:07
S42	7	S28 and (hash with partition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 11:09
S43	4	S42 and (@ad<"20011207")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 11:15
S44	1	"275028".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 11:26
S45	1	"276082".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 11:28
S46	1	"276300".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 11:30

S47	1	"276191".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 11:30
-----	---	---------------	---	----	-----	------------------

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)Search: ☒ The ACM Digital Library ☐ The Guide

Nothing Found

Your search for **join partition merge file** did not return any results.

You may want to try an [Advanced Search](#) for additional options.

Please review the [Quick Tips](#) below or for more information see the [Search Tips](#).

Quick Tips

- Enter your search terms in lower case with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

- Narrow your searches by using a + if a search term must appear on a page.

museum +art

- Exclude pages by using a - if a search term must not appear on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)



Web Images Groups News Froogle Local^{New!} more »

join partition merge file hash row index spool

Search

Advanced Search
Preferences

Web Results 1 - 10 of about 41 for **join partition merge file hash row index spool location parse ha**

Did you mean: join partition merge file **hashrow** index spool location parse hash-join

[PPT] Parallel Database Systems 101 Jim Gray & Gordon Bell Microsoft ...

File Format: Microsoft Powerpoint 97 - View as HTML

... Send it to each **partition** of large table for **hash join**. ... Use nested loops,
sort-merge join (sort is **index** build). Page locking, 2K disk IO, ...

research.microsoft.com/users/Gray/PDB95.ppt - [Similar pages](#)

AskTom "using explain plan"

... during **parse**: 1 Optimizer goal: CHOOSE Parsing user id: 34 (SCOTT) Rows **Row**

... 2 1 FILTER 3 2 **HASH JOIN** (OUTER) 4 3 TABLE ACCESS (BY **INDEX ROWID**) OF ...

asktom.oracle.com/pls/ask/ f?p=4950:8::::F4950_P8_DISPLAYID:111012348061 - 153k -

[Cached](#) - [Similar pages](#)

AskTom "How to Update millions or records in a t..."

... change - so the **row** doesn't need to move from **partition** to **partition**). ...

table in the IN will be the driving table and that a **hash join** will not be ...

asktom.oracle.com/pls/ask/ f?p=4950:8::::F4950_P8_DISPLAYID:6407993912330 - 342k -

[Cached](#) - [Similar pages](#)

[[More results from asktom.oracle.com](#)]

Oracle9i Database Master Index: P (Release 2 (9.2))

... **hash** area size (Database Tuning with the Oracle Tuning Pack): **hash join** ...

creating local **index** on **hash** partitioned table (Administrator's Guide) ...

www.cs.umb.edu/cs634/ora9idocs/mix.920/a96625/idx-p.htm - 513k - [Cached](#) - [Similar pages](#)

Oracle9i Database Server Patch Set Notes

... **index**, then it writes the LCR that caused the error into its trace **file**, ...

The following table lists the **hash join** bugs addressed in this patch set: ...

oracle-docs.dartmouth.edu/dba-docs/patchset_9.2.0.4.htm - 513k - [Cached](#) - [Similar pages](#)

Patch Set Notes

... memory corruption / dump from UPDATE using **HASH JOIN** with correlated SUBQUERY

... ADD/COALESCE/MERGE/SPLIT **PARTITION** sets table statistics to NULL ...

oracle-docs.dartmouth.edu/dba-docs/patchset_9.2.0.2.htm - 447k - [Cached](#) - [Similar pages](#)

Initialization Parameters

... for the default locations and filenames for these parameter files. ...

whether the optimizer should consider using a **hash join** as a **join** method. ...

www.csee.umbc.edu/help/oracle8/server.815/a67790/ch1.htm - 513k - [Cached](#) - [Similar pages](#)

Oracle9i Database Master Index: P (includes Windows entries)

... Tuning Pack): **hash join** enabled (Oracle Enterprise Manager Database Tuning with

... Guide): **parse()** code sample (Internet **File** System Developer's Guide) ...

otter.tamucc.edu:7777/doc/mix.901/a90256/idx-p.htm - 513k - [Cached](#) - [Similar pages](#)

Oracle9i Database Master Index: P

... Pack): **hash join** enabled (Oracle Enterprise Manager Database Tuning with ...

File System Setup and Administration Guide): overview, 5-2: **parse()** code ...

dbis.informatik.uni-freiburg.de/ doc901/mix.901/a90256/idx-p.htm - 513k - [Cached](#) - [Similar pages](#)

Initialization Parameters

... amount of memory used to **merge** bitmaps retrieved from a range scan of the **index**.

... how many sequential blocks a **hash join** reads and writes in one IO. ...

www-rohan.sdsu.edu/doc/ oracle/server803/A54645_01/ch1.htm - 513k - [Cached](#) - [Similar pages](#)

Did you mean to search for: join partition merge file **hashrow** index spool location parse hash-join

Gooogle ►

Result Page: 1 2 3 4 [Next](#)

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)



join partition merge file hash row

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google



Web Images Groups News Froogle Local^{New!} more »

join partition merge file hash row index spool

Search

Advanced Search
Preferences

Web Results 1 - 10 of about 41 for **join partition merge file hash row index spool location parse ha**

Did you mean: join partition merge file **hashrow** index spool location parse hash-join

[PPT] Parallel Database Systems 101 Jim Gray & Gordon Bell Microsoft ...

File Format: Microsoft Powerpoint 97 - View as HTML

... Send it to each **partition** of large table for **hash join**. ... Use nested loops,
sort-merge join (sort is **index** build). Page locking, 2K disk IO, ...

research.microsoft.com/users/Gray/PDB95.ppt - [Similar pages](#)

AskTom "using explain plan"

... during **parse**: 1 Optimizer goal: CHOOSE Parsing user id: 34 (SCOTT) Rows **Row**

... 2 1 FILTER 3 2 **HASH JOIN** (OUTER) 4 3 TABLE ACCESS (BY **INDEX ROWID**) OF ...

asktom.oracle.com/pls/ask/ f?p=4950:8::::F4950_P8_DISPLAYID:111012348061 - 153k -

[Cached](#) - [Similar pages](#)

AskTom "How to Update millions or records in a t..."

... change - so the **row** doesn't need to move from **partition** to **partition**). ...

table in the IN will be the driving table and that a **hash join** will not be ...

asktom.oracle.com/pls/ask/ f?p=4950:8::::F4950_P8_DISPLAYID:6407993912330 - 342k -

[Cached](#) - [Similar pages](#)

[[More results from asktom.oracle.com](#)]

Oracle9i Database Master Index: P (Release 2 (9.2))

... **hash** area size (Database Tuning with the Oracle Tuning Pack): **hash join** ...

creating local **index** on **hash** partitioned table (Administrator's Guide) ...

www.cs.umb.edu/cs634/ora9idocs/mix.920/a96625/idx-p.htm - 513k - [Cached](#) - [Similar pages](#)

Oracle9i Database Server Patch Set Notes

... **index**, then it writes the LCR that caused the error into its trace **file**, ...

The following table lists the **hash join** bugs addressed in this patch set: ...

oracle-docs.dartmouth.edu/dba-docs/patchset_9.2.0.4.htm - 513k - [Cached](#) - [Similar pages](#)

Patch Set Notes

... memory corruption / dump from UPDATE using **HASH JOIN** with correlated SUBQUERY

... ADD/COALESCE/**MERGE**/SPLIT **PARTITION** sets table statistics to NULL ...

oracle-docs.dartmouth.edu/dba-docs/patchset_9.2.0.2.htm - 447k - [Cached](#) - [Similar pages](#)

Initialization Parameters

... for the default locations and filenames for these parameter files. ...

whether the optimizer should consider using a **hash join** as a **join** method. ...

www.csee.umbc.edu/help/ oracle8/server.815/a67790/ch1.htm - 513k - [Cached](#) - [Similar pages](#)

Oracle9i Database Master Index: P (includes Windows entries)

... Tuning Pack): **hash join** enabled (Oracle Enterprise Manager Database Tuning with

... Guide): **parse()** code sample (Internet **File** System Developer's Guide) ...

otter.tamucc.edu:7777/doc/mix.901/a90256/idx-p.htm - 513k - [Cached](#) - [Similar pages](#)

Oracle9i Database Master Index: P

... Pack): **hash join** enabled (Oracle Enterprise Manager Database Tuning with ...

File System Setup and Administration Guide): overview, 5-2: **parse()** code ...

dbis.informatik.uni-freiburg.de/doc901/mix.901/a90256/idx-p.htm - 513k - [Cached](#) - [Similar pages](#)

Initialization Parameters

... amount of memory used to **merge** bitmaps retrieved from a range scan of the **index**.

... how many sequential blocks a **hash join** reads and writes in one IO. ...

www-rohan.sdsu.edu/doc/oracle/server803/A54645_01/ch1.htm - 513k - [Cached](#) - [Similar pages](#)

Did you mean to search for: join partition merge file **hashrow** index spool location parse hash-join

Goooooogle ►

Result Page: 1 2 3 4 [Next](#)

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)



join partition merge file hash row [Search](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google